

REMACLEAN HM-U8

Conveyor Belt Cleaning System with Elastically Mounted Carbide Blades and Spindle Clamping Device

The cleaning system **REMACLEAN HM-U8** is suitable for speeds up to 6.5 m/s. Thanks to the effective combination of carbides embedded in polyurethane, optimum adaptation to the conveyor belt surface is ensured. The tungsten carbide blades can be rotated on their own axis and thus provide gentle cleaning of the conveyor belt.


BELT CLEANING SYSTEM

REMACLEAN – U-Serie – for Belt Return Side Applications

REMACLEAN HM-U8


Benefits

- Optimal adjustment of the carbide blades to the conveyor belt surface – thanks to rotatable mounting in the polyurethane base
- Long service life due to the use of highly wear-resistant carbide
- Segments bolted to the system support
- For belt widths from 800 – 2,000 mm



Technical Data

Belt Width [mm]	A [mm]	B [mm]	C [mm]	Number of Carbide Blades
800	720	920 – 1,660	1,730	7
1,000	920	1,140 – 1,880	1,950	9
1,200	1,120	1,360 – 2,100	2,170	11
1,400	1,320	1,580 – 2,310	2,390	13
1,600	1,520	1,800 – 2,530	2,610	15
1,800	1,720	2,020 – 2,750	2,830	17
2,000	1,920	2,220 – 2,950	3,030	19



REMA TIP TOP AG
 Gruber Strasse 65 · 85586 Poing / Germany
 Phone: +49 8121 707-100
 Fax: +49 8121 707-10 222
 info@tiptop.de
www.rema-tiptop.com

Your local contact