

REMACLEAN HM-U9

Conveyor Belt Cleaning System with Elastically Mounted Carbide Blades and a Torsion Spindle Clamping Unit

The **REMACLEAN HM-U9** system is suitable for effective and gentle cleaning of conveyor belts up to 6.5 m/s. The individually flexible carbide blades adapt perfectly to the conveyor belt surface and can be easily adjusted thanks to a torsion spindle tensioning unit.


BELT CLEANING SYSTEM

REMACLEAN – U-Serie – for Belt Return Side Applications

REMACLEAN HM-U9


Benefits

- Optimal adjustment to the conveyor belt surface
- Long service life due to the use of highly wear-resistant carbide
- Protection of the system support by PE or VA drainage apron
- For belt widths from 650 – 2,000 mm



Technical Data

Belt Width [mm]	A [mm]	B [mm]	C [mm]	D [mm]	F [mm]	G [mm]	H [mm]	I [mm]	J [mm]
650	600	725 – 1,390	1,650	51	103	70	85	120	M16
800	720	870 – 1,430	1,750	60.3	135		122		
900	840	990 – 1,580	1,900						
1,000	960	1,110 – 1,680	2,000	76.1	165		170		
1,200	1,080	1,230 – 1,800	2,200						
1,400	1,200	1,350 – 2,000	2,400	101.6	192	100	190	150	M20
1,600	1,440	1,660 – 2,540	3,000						
1,800	1,680	1,900 – 2,840	3,300		300				
2,000	1,800	2,020 – 2,930	3,600						



REMA TIP TOP AG
 Gruber Strasse 65 · 85586 Poing / Germany
 Phone: +49 8121 707-100
 Fax: +49 8121 707-10 222
 info@tiptop.de
www.rema-tiptop.com

Your local contact